
SHARP

DESKTOP COLOR DOCUMENT SYSTEMS



Sharp Desktop Color Document Systems offer leading-edge integration and powerful productivity, all in a compact design.

A HIGHER BENCHMARK OF INNOVATION



The Sharp MX-C303WH and MX-C304WH Desktop Color Document Systems deliver crisp, high-quality output with exceptional ease of use. These multifunction printers (MFPs) provide customers with an intuitive user experience and the confidence of knowing their jobs will come out right the first time, every time. Designed with high-performance features typically found on larger machines, the compact MX-C303WH and MX-C304WH deliver the productivity you need with the performance and reliability you want.

Key Features

- Ease of Use Award-winning 7" (diagonally measured) touchscreen display offers a user-friendly graphical interface with simplified Easy Modes, integrated user guides and quick access to network services. With the Sharp MFP Voice feature available for these models, you can interact with the machine with the power of natural language.
- Productivity Offers out-of-the-box copy, print, scan and fax capabilities, plus standard Cloud
 Connect features combined with wireless networking enables users to easily manage their
 workflow from PCs, smart phones and tablets.
- Workplace Friendly Integrates seamlessly with today's complex network environments and supports popular cloud services and mobile technologies. And with the Sharp Application Portal administrators can add or update apps right from the MFP.

The compact MX-C303WH and MX-C304WH Desktop Color Document Systems offer a strong set of standard workflow features that are often optional on competitive models, making your decision to purchase Sharp even easier. These new models are also equipped with leading-edge security features that help businesses protect their data and personal information from the first day of operation to the time of trade-in.



DESIGNED TO DELIVER HIGH PRODUCTIVITY



EASY TO USE

SEAMLESS CLOUD INTEGRATION

LEADING-EDGE SECURITY



"PaceSetter Award in Ease of Use 2018–2019"

A compact design with advanced workflow features to simplify document management in virtually any size office.

- Standard Print, Copy, Scan, Fax and Wireless capability right out of the box.
- 100-sheet duplexing document feeder on the MX-C304WH scans both sides of a document in a single pass, enhancing productivity while also maintaining the integrity of your originals.
- Both models can feed letter size, legal size, statement size and business card size original documents.
- Offers up to six paper sources with available 2,700-sheet maximum paper capacity.
- Optical Character Recognition (OCR) function can convert scanned documents to textsearchable PDF format, Microsoft® Office file formats, and more (standard on MX-C304WH, optional on MX-C303WH).
- Compact PDF feature dramatically reduces the file size of most color scanned documents, resulting in decreased network traffic and more efficient use of disk and cloud storage (standard on MX-C304WH, optional on MX-C303WH).



- Award winning 7" (diagonally measured) customizable touchscreen display with a clean design enables easy access to features and functions when setting up jobs.
- Network ready PCL[®] 6 and Adobe[®] Postscript[®] 3™ printing systems deliver crisp, clear documents at up to 30 pages per minute.
- Direct print Microsoft Word, PowerPoint[®] and Excel[®] files from thumb drives, cloud applications, network folders and more. This function is enabled via Qualcomm[®] DirectOffice[™] technology (standard on MX-C304WH, optional on MX-C303WH).
- Access popular cloud services, including Microsoft® OneDrive® for Business, SharePoint® Online, Box.com, Google Drive™, Dropbox and more with the Sharp Cloud Connect feature (standard on MX-C304WH, optional on MX-C303WH).
- **Supports popular mobile technologies**, enabling users to easily print files from smart phones, tablets and notebook computers.
- Multi-layered, leading-edge security features provide enhanced protection and help businesses stay one step ahead of hackers and malicious network intruders. An End-of-Lease feature can erase all data and personal information at time of trade-in.



ADVANCED FUNCTIONALITY - COMPACT DESIGN



Easy Mode Copy Screen.



Standard Copy Screen offers more advanced features.



Both models offer up to six paper sources for a maximum 2,700-sheet capacity (shown with optional trays).

From paper handling to networking, the MX-C303WH and MX-C304WH Desktop Color Document Systems will exceed your expectations.

Simple and Intuitive Operation with Impressive Performance

When it's time to get the job done, the MX-C303WH/C304WH are outstanding performers. Quickly scan documents at speeds up to **110 images per minute** (MX-C304WH)/ 40 images per minute (MX-C303WH). From basic copy functions to complex scan jobs, these Desktop Color Document Systems will perform with ease and efficiency. Use one of the **Easy Modes** (Copy, Scan or Fax) for fast, simple operation, with basic functions displayed in **large, clearly-labeled tiles** and keys. For more advanced features, simply touch the "Details" key.

A "Well Connected" Device

Connecting a multifunction printer (MFP) to your wireless network and accessing it from mobile devices has never been so easy with the MX-C303WH/C304WH standard wireless networking features. Print or scan to popular cloud services such as Microsoft OneDrive for Business, SharePoint Online, Box.com, Dropbox and Google Drive with **Sharp Cloud Connect. Single Signon (SS0)** support makes scan-to-folder and scan-to-email operations simpler than ever. Even printing from your desktop is made easier with the **Sharp Serverless Print Release** function. Easily send a job to one device, and print it on another where it's more convenient.

Experience Hands-free, Voice-first Interaction with Amazon Alexa

Sharp has always been known for enhancing MFP productivity in the workplace by offering innovative, easy-to-use features. Sharp has done it again with the **MFP Voice feature** available for color document systems. With the Sharp MFP Voice feature, you can interact with the machine just by using the power of natural language. With simple voice commands, you can ask the Sharp MFP to make copies or scan a document.



MX-C304WH shown with available Sharp MFP Voice feature with Alexa.

VERSATILE DESKTOP DOCUMENT SYSTEMS

The MX-C303WH/C304WH Desktop Color Document Systems deliver the high-performance functionality you need in a space-saving, compact design that you want.

workflow centric

Duplexing Single Pass Feeder (DSPF)Standard 100-sheet dual head document feeder on MX-C304WH scans both sides of document in a single pass at up to 110 images per minute.

Flexible Document Handling
Both models can feed letter size, legal
size, statement size and business card size
original documents.

Easy-to-Use Smart Touchscreen Award winning, tablet-style menu provides quick access to features and functions. High Quality Printing
True 600 x 600 dpi resolution
produces razor-sharp documents.
Adobe PostScript 3 drivers offer
extensive job control.

Reversing Single Pass Feeder (RSPF) Standard 50-sheet Reversing Single Pass Feeder on MX-C303WH scans documents at up to 40 images per minute.

Advanced Network Scanning
The Sharp ImageSEND™ feature
provides one-touch distribution to
email, fax, network folders, cloud
applications and more.

Optical Character Recognition (OCR)
Built-in OCR function converts scanned documents to text-searchable PDF format, Microsoft Office file formats, and more (optional on MX-C303WH).

Serverless Print Release
Standard Serverless Print Release feature
enables users to securely print a job,
and then release it from up to six Sharp
document systems (including host) that
are on the same network.¹

Flexible Paper Handling
Optional paper drawers feed up to 8½" x
14" paper and support media up to 220
gsm (80 lb. Cover). Supports up to 2,700
sheets in paper drawers and bypass tray
with options.

provides quick access to feature and functions.

feeds envelopes, OHP film, glossy paper and labels, as well as paper up to 80 lb. Cover stock.

50-Sheet Manual Bypass Tray Convenient manual bypass tray

Hands-free Operation

The available MFP Voice feature enables users to control the device using simple verbal commands with Alexa.

Easily Access Popular Cloud

With the available Cloud Connect feature, users gain access to Microsoft OneDrive, Google Drive, Dropbox and more. The Sharp Application Portal will make it easy for administrators to add or update apps right from the MFP.

Print from Mobile Devices
Supports popular networking
technologies, enabling users to easily
print files from smart phones, tablets,
and even Chromebooks.

Multi-layered Security Features
Leading-edge security features
provide enhanced protection of data
and personal information and helps
protect against network intrusions.

Standard Gigabit Ethernet and Wi-Fi® network capabilities offer greater flexibility.²

¹ Supports most Sharp document systems. For a list of supported models contact your authorized Sharp dealer.

² In Infrastructure Mode, the wireless interface is used in place of a wired connection. In Point-to-Point mode, the wireless interface can be used to connect directly to the MFP from another wireless device, such as a smartphone or tablet.



ENHANCED COLLABORATION FOR STREAMLINED WORKFLOWS



Distribute, access and print documents more easily.



Scan and convert documents to popular file formats seamlessly with the Sharp built-in OCR function ².



With Serverless Print Release you can securely print a job and release it from up to six Sharp MFPs (including host).

Powerful document workflow solutions help you work more efficiently.

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to go beyond traditional network scanning with standard **Email Connect** and **Cloud Connect** features. With Email Connect, scan to email is seamlessly integrated with Microsoft Exchange/Office 365[®] and Gmail[™] user accounts, making it easy to identify the sender of scanned files. With Cloud Connect, users can easily scan-to and print-from **Microsoft**

OneDrive for Business, SharePoint Online, Google Drive, Box and Dropbox (standard on MX-C304WH, optional on MX-C303WH). And with the Sharp Application Portal, administrators will be able to easily add new apps and update existing apps right from the MFP touchscreen panel.



Scan and Print Files Easily from Mobile Devices

The MX-C303WH/C304WH desktop color document systems also make it easy to scan and print files from tablets and smart phones using **Sharpdesk® Mobile**, a free downloadable app available for most common mobile devices.¹ The MX-C303WH/C304WH also support popular mobile technologies such as **AirPrint®**, **Android™ printing framework and more**. With standard wireless networking, users can also print directly to the MFP from mobile devices without interfering with the network!

Simplify Managing Different File Types with Intelligent Image Processing

Easily scan and convert documents to popular file formats including Microsoft Word, PowerPoint, and Excel, as well as a variety of PDF formats such as Searchable PDF, Encrypted PDF, Compact PDF and others. You can also direct print these same file types from thumb drives, cloud applications and mobile devices. This function is enabled via Qualcomm DirectOffice technology. These models also support the **Adobe Embedded Print Engine**, which direct prints PDF files with greater accuracy and performance.

Flexible Printing Solutions Help Speed Up Your Office Productivity

Standard Adobe **PostScript 3** and **PCL 6** printing systems help you speed through all of your output needs with accuracy. **Serverless Print Release** technology, enables users to securely print a job and release it from up to six Sharp MFP models on your network.²

Simplify Complex Business Workflows

Sharp OSA technology can help your business leverage the power of your network applications, back-end systems and cloud services.² Easily automate complex processes and help eliminate redundant tasks. Create your own custom integrations or take advantage of the growing portfolio of Sharp OSA applications available from Sharp Partner Program members.



¹ Go to www.sharpusa.com for a list of supported devices and operating systems.

² Some features require optional equipment and/or software/services.

TAKING CARE OF BUSINESS SAFELY AND SECURELY

Manage your device, help safeguard your data, help protect your business.

To help protect employees' privacy and intellectual property, Sharp Desktop Color Document Systems are armed with leading-edge, multi-layered security features, including Firmware Attack Prevention and Self Recovery, which can help identify a malicious intrusion and restore the machine firmware to its original state. The Whitelisting feature detects access attempts to the machine file system and denies access if the source data is not on the white list. Authority Groups help manage and restrict copying, printing and scanning features to safeguard data and control costs. Administrators can also apply Active Directory® Group Policy to the device, which offers centralized configuration and control. Confidential Printing helps ensure sensitive documents are kept safe by requiring users to enter

a PIN code to print them. These models also support Active Directory user authentication and secure **Single Sign-On**. **Integrated ID card authentication** is also available.* When you are ready to trade the machine in, a convenient **End-of-Lease** feature can erase all data and personal information, as well as print a confirmation report.



These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business meet regulatory requirements including the Health Insurance Portability and Accountability Act (HIPAA) and the Family Educational Rights and Privacy Act (FERPA). For additional information visit: www.sharpusa.com/security.



With Sharp Remote Device Manager (SRDM), administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. Event-driven service alerts help monitor the device and maximize uptime. The centrally managed security dashboard monitors security settings and can automatically reset the security policy if changed locally at the machine. Also, Centralized Admin Password Management and Centralized Power Management make it easy to deploy changes when needed. The Remote Front Panel feature enables administrators to control the machine's LCD panel from a PC to troubleshoot issues and train operators. Sharp also offers both built-in and additional auditing hardware and software to control, access and track usage of each device on the network.* And with My SharpTM, you get a dedicated training website customized to your model to help you understand all of the features.



ENVIRONMENTAL COMMITMENT



An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. The MX-C303WH and MX-C304WH adhere to the Sharp Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair, and easy to take apart for recycling.

The MX-C303WH and MX-C304WH document systems are RoHS compliant to restrict the use of hazardous substances. These products also have low TEC values.



Toner Recycling Program

As part of our commitment to help preserve the environment, Sharp offers zero-waste-to-landfill recycling for Sharp consumables at no cost to our customers. This program includes cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing them with a pre-paid recycling kit for their return to our facility.

Environmental Leadership

Sharp is a multi-year winner of the SmartWay[®] Excellence Award which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation.

For more information about environmental leadership from Sharp including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-C303WH/C304WH SPECIFICATIONS

MX-C303WH/	Base models include multitasking controller, 50-sheet		
C304WH	RSPF (MX-C303WH)/100-sheet DSPF (MX-C304WH), PCL 6		
	and Adobe PostScript® 3™ printing systems, network		
	scanning, auto duplexing, 1 x 250-sheet paper drawer,		
	50-sheet bypass tray. Full capacity toners and developers		
	included.		
Туре	Desktop color multi-function digital document system		
Display	7" (diagonally measured) color dot matrix high-resolution		
	touch panel tilting display. 1,024 x 600 dots (W-SVGA)		
Functions	Copy, print, network print, network scan, document filing and fax		
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic		
	brush development/OPC drums/roller fusing/white LED		
	exposure		
Originals	Sheets and bound documents		
Max. Original Size	8½" x 14"		
Output Size	Min. 5½" x 8½", Max. 8½" x 14"		
Copy Size	Min. 5½" x 8½"		
Copy Speed	30/30 ppm B&W/Color		
Multiple Copy	Max. 9,999 copies		
First Copy Time	Platen Glass: 6.3 Mono/ 7.4 Color (MX-C303WH), 5.5		
(in seconds) ²	Mono/ 6.7 Color (MX-C304WH) Document Feeder: 8.5 Mono/		
5000	10.8 Color (MX-C303WH), 7.7 Mono/ 9.4 Color (MX-C304WH)		
Warm Up Time	47 seconds		
Magnification	25% to 400% in 1% increments (with document feeder		
giiiiouuoii	25% - 200%)		
Original Feed	50-sheet RSPF (MX-C303WH) and 100-sheet DSPF		
Scan Speed			
	(MX-C304WH) MX-C303WH: up to 40 ipm		
	MX-C303WH: up to 40 ipm MX-C304WH: up to 110 ipm		
Donor			
Paper	Maximum 300 sheets		
Capacity	Chandard, (1) 000 about pages drawer (latter/statement)		
Paper Feed	Standard: (1) 250-sheet paper drawer (letter/statement/		
System Paper Weights	executive size) system and 50-sheet bypass tray (letter/		
	statement/legal/executive/envelope size). Optional: 600-sheet		
	paper drawer (letter/ statement/ legal/executive size.)		
Paper Weights	Standard paper drawer: 16-28 lb bond. Optional drawers:		
and Types	16 lb. bond- 80 lb. cover. Other paper types include plain,		
	recycled, pre-punched, letterhead, pre-printed and color.		
	Bypass tray: 13-16lb. bond (thin paper), 16-28 lb. bond (plain		
	paper), 28lb. bond-80 lb. cover (heavy paper), 20-24 lb. bond		
	Monarch/Com-10 envelope. Also label paper, gloss paper,		
	recycled, pre-punched, letterhead, pre-printed, color paper		
	and OHP film.		
Duplexing	Standard automatic duplex copy and printing		
CPU	600 MHz		
Interface	RJ-45 Ethernet (10Base-T, 100Base-TX, 1000Base-T),		
	Wireless (IEEE802.11 n/g/b), USB 2.0 (2 host ports, front/rear)		
	USB 2.0 (1 device)		
Memory	5 GB copy/print shared		
Hard Disk Drive	500 GB		
Сору	Up to 600 x 600 dpi		
Resolution	•		
Color Modes	Auto Color Selection (ACS), Full Color Mode,		
	Monochrome (B/W)		
Exposure Control	Modes: Automatic, Text, Text/Photo, Text/Printed-Photo,		
	Printed-Photo, Photo, Map, Pale-Color Document.		
	Settings: Auto or 9 step manual		
Halftone	256 gradations/2 levels (monochrome)		
	Scan-Once Print-Many, electronic sorting, Auto Paper Selection		
Copy Features	(APS), Auto Magnification Selection (AMS), Auto Tray Switching		
	(ATS), black-white reversal, blank page skip, card shot, center,		
	erase, centering, cover pages, edge erase, image edit, image,		
	preview, insert pages, job build, job programs, margin shift,		
	mirror image, mixed size original, original count, pamphlet,		
	style, proof copy, repeat layout, stamp, stamp custom image,		
	suppress background, toner save mode, transparency inserts,		
	watermark and 2-in-1 / 4-in-1 / 8-in-1 multi shot		
Account Control	Up to 1,000 users. Supports user authentication via		
ACCOUNT CONTROL	user-number, local login name/password, LDAP or Active		
Account Control			
	Directory® for all models		
Output Tray			
Output Tray Capacity	Directory® for all models 150 Sheets (face down)		
Output Tray Capacity Cloud Supported	Directory® for all models		

PAP (IPV4, IPV6, IPsec), HTTP/HTTPS, IPP/IPP-SSL, FTP/ PS, SNMPv3, SMTP/SMTP-SSL, POP3/POP3-SSL, LDAP/ AP-SSL, 802.1x for Windows and Unix. Iudes IP/MAC address filtering, protocol filtering, t control, TLS Encryption, Kerberos, Active Directory egration, AES 256 bit data encryption, data overwrite (up 10 times), US Department of Defense data wipe standard D 5220.22-M and End-of-Lease feature mware can be updated by USB drive, FTP, Web page SBDM D-based management with user/admin level login mote Front Panel, access to service logs and ck counts e stop tilting front panel, adjustment of key touch sound d speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional papel ys, and disable screen timeout e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kWC303WH: Approx. 77 lbs -C304WH: Approx. 77 lbs -C304WH: 19 11/sz* (W) x 22 3/s* (d) x 22 21/ss* (h)C304WH: 19 11/sz* (w) x 22 3/s* (d) x 22 1/ss* (h)C304WH: 19 11/sz* (w) x 22 3/s* (d) x 22 1/ss* (h)C304WH: 19 11/sz* (w) x 22 3/s* (d) x 22 4/s* (h)	
ludes IP/MAC address filtering, protocol filtering, t control, TLS Encryption, Kerberos, Active Directory agration, AES 256 bit data encryption, data overwrite (up 10 times), US Department of Defense data wipe standard D 5220.22-M and End-of-Lease feature mware can be updated by USB drive, FTP, Web page SRDM b-based management with user/admin level login mote Front Panel, access to service logs and sk counts es top tilting front panel, adjustment of key touch sound d speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH DV, 60Hz, 12A 4 kWC303WH: Approx. 77 lbs -C303WH: Approx. 77 lbs -C303WH: 19 11/22" (w) x 22 3/8" (d) x 22 21/64" (ft) -C303WH: 19 11/22" (w) x 22 3/8" (d) x 22 21/64" (ft) -C303WH: 19 11/22" (w) x 22 3/8" (d) x 22 21/64" (ft) -C303WH: 19 11/22" (w) x 22 3/8" (d) x 22 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 24/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 24/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 20 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 24 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 24 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 24 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 24 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 24 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w) x 24 3/8" (d) x 24 3/8" (ft) -C304WH: 19 11/22" (w)	
t control, TLS Encryption, Kerberos, Active Directory gration, AES 256 bit data encryption, data overwrite (up 10 times), US Department of Defense data wipe standard D 5220.22-M and End-of-Lease feature mware can be updated by USB drive, FTP, Web page SRDM b-based management with user/admin level login mote Front Panel, access to service logs and kcounts e stop tilting front panel, adjustment of key touch sound is peed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH D.V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C303WH: 19 "1/22" (w) x 22 3/8" (d) x 22 21/64" (h) -C303WH: 19 "1/22" (w) x 22 3/8" (d) x 22 1/4" (h) -mandard PCL 5c, 6, Adobe PostScript 3 D x 600 dpi 30 ppm (8½" x 11") 10 dows Server® 2008, Windows Server 2008 x64, Windows 8.1, and windows 10 x64, Windows 10 x64, Windows 8.1, and windows 10 x64, Windows 10	
egration, AES 256 bit data encryption, data overwrite (up 10 times), US Department of Defense data wipe standard D 5220.22-M and End-of-Lease feature mware can be updated by USB drive, FTP, Web page SRDM b-based management with user/admin level login mote Front Panel, access to service logs and k counts e stop tilting front panel, adjustment of key touch sound is speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C303WH: 19 11/sz* (w) x 22 3/s* (d) x 22 3/s* (h) -C304WH: 19 11/sz* (w) x 22 3/s* (d) x 22 3/s* (h) -C304WH: 19 11/sz* (w) x 22 3/s* (d) x 22 3/s* (h) -C304WH: 19 11/sz* (w) x 22 3/s* (d) x 24 3/s* (h) -C304WH: 44 Mindows 80 (d) x 24 3/s* (d) x 24 3/s* (d) x 25 3/s* (d) x 24 3/s* (d) x 24 3/s* (d) x 24 3/s* (d) x 25 3/s* (d) x 26 3/s* (
10 times), US Department of Defense data wipe standard D 5220.22-M and End-of-Lease feature mware can be updated by USB drive, FTP, Web page SRDM b-based management with user/admin level login mote Front Panel, access to service logs and k counts e stop tilting front panel, adjustment of key touch sound 1 speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C304WH: Approx. 84 lbs -C303WH: 19 ¹¹¹/₂²² (w) x 22 ³/ɛ² (d) x 22 ²²/ɛ² (h) -C304WH: 19 ¹¹/₂²² (w) x 22 ³/ɛ² (d) x 22 ½² (h) mindard PCL 5c, 6, Adobe PostScript 3 D x 600 dpi 30 ppm (8/ɛ² x 11²) ndows Server® 2008, Windows 7, Windows 7, 64, Windows 8.1, adows 8.1, x64, Windows 10, Windows 10 x64, Windows	
D 5220.22-M and End-of-Lease feature mware can be updated by USB drive, FTP, Web page SRDM b-based management with user/admin level login mote Front Panel, access to service logs and ck counts e stop tilting front panel, adjustment of key touch sound di speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape yes, and disable screen timeout e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C304WH: Approx. 84 lbs -C303WH: 19 11/32" (w) x 22 3/6" (d) x 22 21/64" (h) -C303WH: 19 11/32" (w) x 22 3/6" (d) x 22 1/4" (h) mindard PCL 5c, 6, Adobe PostScript 3 D x 600 dpi 30 ppm (8)%" x 11") ndows Server® 2008, Windows Server 2008 x64, Windows 8.1, ndows 8.1 x64, Windows 10, Windows 10 x64, Windows 10 x 604, Windows 10, Windows 10 x64, Windows	
mware can be updated by USB drive, FTP, Web page SRDM b-based management with user/admin level login mote Front Panel, access to service logs and sk counts e stop tilting front panel, adjustment of key touch sound d speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH DV, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C303WH: Approx. 84 lbs -C303WH: Approx. 84 lbs -C303WH: 19 11/s² (w) x 22 3/s" (d) x 22 3/s" (h) -C304WH: 19 11/s² (w) x 22 3/s" (d) x 22 3/s" (h) -C304WH: 19 11/s² (w) x 22 3/s" (d) x 24 3/s" (h) -C304WH: 49 11/s² (w) x 22 3/s" (d) x 24 3/s" (h) -C304WH: 49 11/s² (w) x 24 3/s" (d) x 24 3/s" (h) -C304WH: 49 11/s² (w) x 25 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h) -C304WH: 49 11/s² (w) x 26 3/s" (d) x 26 3/s" (h)	
SRDM b-based management with user/admin level login mote Front Panel, access to service logs and k counts e stop tilting front panel, adjustment of key touch sound speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C303WH: Approx. 84 lbs -C303WH: 19 "1/sz" (w) x 22 3/s" (d) x 22 3/s" (h) -C304WH: 19 "1/sz" (w) x 22 3/s" (d) x 22 3/s" (h) mndard PCL 5c, 6, Adobe PostScript 3 D x 600 dpi 30 ppm (8/s" x 11") ndows Server® 2008, Windows Server 2008 x64, Windows 10 dows 8.1 x64, Windows 7, Windows 7 x64, Windows 10 x 644, Windows 10, Windows 10 x64, Windows 10 x 644, Windows 10, Windows 10 x64, Windows	
b-based management with user/admin level login mote Front Panel, access to service logs and sk counts est on the panel, adjustment of key touch sound dispeed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional papers, and disable screen timeout e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kW C303WH: Approx. 77 lbsC303WH: Approx. 84 lbsC303WH: 19 11/32" (w) x 22 3/8" (d) x 22 21/64" (h)C303WH: 19 11/32" (w) x 22 3/8" (d) x 22 ½" (h)C304WH: 19 11/32" (w) x 22 3/8" (d) x 22 ½" (h)	
mote Front Panel, access to service logs and k. counts e stop tilting front panel, adjustment of key touch sound of speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH 0.V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C304WH: Approx. 84 lbs -C303WH: Approx. 84 lbs -C304WH: 19 11/32" (w) x 22 3/8" (d) x 22 21/64" (h) -C304WH: 19 11/32" (w) x 22 3/8" (d) x 22 1/4" (h) mindard PCL 5c, 6, Adobe PostScript 3 x 600 dpi 30 ppm (8/5" x 11") 10dows Server® 2008, Windows Server 2008 x64, Windows 8.1, and you will windows 8.1, and you will windows 8.1, and you will windows 10 x 64, Windows 8.1, and you will windows 10 x 64, Windows 8.1, and you will windows 10 x 64, Windows 8.1, and you will windows 10 x 64, Windows 8.1, and you will windows 10 x 64, Windows 8.1, and you will windows 10 x 64, Windows 8.1, and you will windows 10 x 64, Windows 8.1, and you will windows 10 x 64, Windows 8.1, and you will windows 10 x 64, Windows 8.1	
ek counts e stop tilting front panel, adjustment of key touch sound d speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH D.V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C303WH: Approx. 84 lbs -C303WH: Approx. 84 lbs -C303WH: 19 11/sz* (w) x 22 3/s* (d) x 22 3/s* (h) -C304WH: 19 11/sz* (w) x 22 3/s* (d) x 22 3/s* (h) em indard PCL 5c, 6, Adobe PostScript 3 D x 600 dpi 30 ppm (8/s* x 11*) downs erver® 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, hdows 8.1 x64, Windows 10, Windows 10 x64, Windows	
e stop tilting front panel, adjustment of key touch sound is speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape ys, and disable screen timeout in the Angel, European RoHS and REACH D.V., 60Hz, 12A 4 KW -C303WH: Approx. 77 lbs -C303WH: Approx. 84 lbs -C303WH: 19 "1/sz" (w) x 22 */s" (d) x 22 *21/ss" (h) -C304WH: 19 "1/sz" (w) x 22 */s" (d) x 22 *3/s" (h) mundard PCL 5c, 6, Adobe PostScript 3 D x 600 dpi 30 pm (8/s" x 11") ndows Server® 2008, Windows Server 2008 x64, Windows ver 201z x64, Windows 7, Windows 7, Kindows 8.1, and we server 10 x 264, Windows 10, Windows 10 x64, Windows 8.1, and we server 10 x 264, Windows 10, Windows 10 x64, Windows 8.1, and we server 10 x 264, Windows 10, Windows 10 x64, Windows 10, Windows 10 x64, Windows	
d speed, concave key, document feeder free stop, job grams, remote front panel, universal grip for optional pape yes, and disable screen timeout e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C303WH: Approx. 77 lbs -C303WH: 19 ¹¹/s²² (w) x 22 ³/s² (d) x 22 ²²/s² (h) -C303WH: 19 ¹¹/s²² (w) x 22 ³/s² (d) x 22 ½³/² (h) -C304WH: 19 ¹¹/s²² (w) x 22 ³/s² (d) x 22 ¼² (h) mindard PCL 5c, 6, Adobe PostScript 3 x 600 dpi 30 ppm (8/s² x 11²) ndows Server® 2008, Windows Server 2008 x64, Windows ver 201z x64, Windows 7, Windows 7, Kindows 8.1, hdows 8.1 x64, Windows 10, Windows 10 x64, Windows	
grams, remote front panel, universal grip for optional pape ys, and disable screen timeout e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kW C303WH: Approx. 77 lbs C303WH: Approx. 84 lbs C303WH: 19 11/sz* (w) x 22 3/s* (d) x 22 1/s4* (h) C304WH: 19 11/sz* (w) x 22 3/s* (d) x 22 1/s4* (h) C304WH: 19 11/sz* (w) x 22 3/s* (d) x 22 1/s4* (h) C304WH: 19 11/sz* (w) x 22 3/s* (d) x 24 1/s4* (h)	
ys, and disable screen timeout e Angel, European RoHS and REACH D.V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C304WH: Approx. 84 lbs -C303WH: 19 11/s² (w) x 22 3/s" (d) x 22 1/s* (h) -C304WH: 19 11/s² (w) x 22 3/s" (d) x 22 1/s* (h) -C304WH: 19 11/s² (w) x 22 3/s" (d) x 22 1/s* (h) em indard PCL 5c, 6, Adobe PostScript 3 D x 600 dpi 30 pm (8/s" x 11") dows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows ver 2012 x64, Windows 10, Windows 10 x64, Windows	
e Angel, European RoHS and REACH D V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C303WH: Approx. 84 lbs -C303WH: 19 "1/sz" (w) x 22 *3/8" (d) x 22 *21/s4" (h) -C304WH: 19 "1/sz" (w) x 22 *3/8" (d) x 22 *3/4" (h) em indard PCL 5c, 6, Adobe PostScript 3 D x 600 dpi 30 pm (8/s" x 11") indows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, indows 8.1 x64, Windows 10, Windows 10 x64, Windows	
20 V, 60Hz, 12A 4 kW -C303WH: Approx. 77 lbs -C303WH: Approx. 84 lbs -C303WH: 19 11/32" (w) x 22 3/6" (d) x 22 21/64" (h) -C303WH: 19 11/32" (w) x 22 3/6" (d) x 22 1/4" (h) -C304WH: 19 11/32" (w) x 22 3/6" (d) x 22 1/4" (h) mindard PCL 5c, 6, Adobe PostScript 3 0 x 600 dpi 30 ppm (8/4" x 11") 10dows Server® 2008, Windows Server 2008 x64, Windows 10 x 64, Windows 7, Windows 7, Kindows 8.1, 10 x 64, Windows 8.1, 10 x 64, Windows 10, Windows 10 x 64, Windows 8.1, 10 x 64, Windows 10, Windows 10 x 64, Windows 8.1, 10 x 64, Windows 10, Windows 10 x 64, Windows 8.1, 10 x 64, Windows 10, Windows 10 x 64, Windows 8.1, 10 x 64, Windows 10, Windows 10 x 64, Windows 8.1, 10 x 64, Windows 10, Windows 10 x 64, Windows 8.1, 10 x 64, Windows 10, Windows 10 x 64, W	
4 kW -C303WH: Approx. 77 lbs -C304WH: Approx. 84 lbs -C303WH: 19 11/s² (w) x 22 3/s" (d) x 22 21/s4" (h) -C304WH: 19 11/s2" (w) x 22 3/s" (d) x 22 3/4" (h) em indard PCL 5c, 6, Adobe PostScript 3 0 x 600 dpi 30 ppm (8/s" x 11") adows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, adows 8.1 x64, Windows 10, Windows 10 x64, Windows	
4 kW -C303WH: Approx. 77 lbs -C304WH: Approx. 84 lbs -C303WH: 19 11/s² (w) x 22 3/s" (d) x 22 21/s4" (h) -C304WH: 19 11/s2" (w) x 22 3/s" (d) x 22 3/4" (h) em indard PCL 5c, 6, Adobe PostScript 3 0 x 600 dpi 30 ppm (8/s" x 11") adows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, adows 8.1 x64, Windows 10, Windows 10 x64, Windows	
-C303WH: Approx. 77 lbs -C304WH: Approx. 84 lbs -C304WH: 19 ¹¹/s²* (w) x 22 ³/s* (d) x 22 ²¹/s₄* (h) -C304WH: 19 ¹¹/s²* (w) x 22 ³/s* (d) x 22 ¾* (h) em indard PCL 5c, 6, Adobe PostScript 3 indard PCL 5c, 6, Adobe PostScript 3 indard PCL 5c, 6, Moles PostS	
-C304WH: Approx. 84 lbs -C303WH: 19 "1/sz" (w) x 22 ³/s" (d) x 22 ²1/s4" (h) -C304WH: 19 "1/sz" (w) x 22 ³/s" (d) x 22 ¼" (h) -C304WH: 19 "1/sz" (w) x 22 ³/s" (d) x 22 ¼" (h) monard PCL 5c, 6, Adobe PostScript 3 x 600 dpi 30 ppm (8½" x 11") dows Server® 2008, Windows Server 2008 x64, Windows ever 2012 x64, Windows 7, Windows 7, Windows 8.1, ndows 8.1 x64, Windows 10, Windows 10 x64, Windows	
-C303WH: 19 ¹¹/x²" (w) x 22 ³/s" (d) x 22 ²¹/s³ (h) -C304WH: 19 ¹¹/x²" (w) x 22 ³/s" (d) x 22 ¼" (h) em ndard PCL 5c, 6, Adobe PostScript 3 0 x 600 dpi 30 pm (8½" x 11") ndows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x 64, Windows 8.1, ndows 8.1 x64, Windows 10, Windows 10 x64, Windows	
-C304WH: 19 11/sz" (w) x 22 3/s" (d) x 22 3/s" (h) em indard PCL 5c, 6, Adobe PostScript 3 0 x 600 dpi 30 ppm (8/s" x 11") ndows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7, Kindows 8.1, ndows 8.1 x64, Windows 10, Windows 10 x64, Windows	
em Indard PCL 5c, 6, Adobe PostScript 3 0 x 600 dpi 30 ppm (8½" x 11") Indows Server® 2008, Windows Server 2008 x64, Windows Verz 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, Indows 8.1 x64, Windows 10, Windows 10 x64, Windows	
ndard PCL 5c, 6, Adobe PostScript 3) x 600 dpi '30 ppm (8½" x 11") rdows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, rdows 8.1 x64, Windows 10, Windows 10 x64, Windows	
ndard PCL 5c, 6, Adobe PostScript 3) x 600 dpi '30 ppm (8½" x 11") rdows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, rdows 8.1 x64, Windows 10, Windows 10 x64, Windows	
0 x 600 dpi 30 ppm (8½" x 11") ndows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, ndows 8.1 x64, Windows 10, Windows 10 x64, Windows	
30 ppm (8½" x 11") ndows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, ndows 8.1 x64, Windows 10, Windows 10 x64, Windows	
ndows Server® 2008, Windows Server 2008 x64, Windows ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, ndows 8.1 x64, Windows 10, Windows 10 x64, Windows	
ver 2012 x64, Windows 7, Windows 7 x64, Windows 8.1, ndows 8.1 x64, Windows 10, Windows 10 x64, Windows	
ndows 8.1 x64, Windows 10, Windows 10 x64, Windows	
ver 2012 x64, Windows Server 2016 x64, MAC OS X®	
cluding 10.6 to 10.14)	
Print, Android printing framework (Sharp Print Service	
gin), Sharpdesk Mobile ³	
to configuration, serverless print release, bar code font	
nting, carbon copy print, chapter inserts, confidential	
nt, custom image registration, different cover page/last	
ge/other page, document control, document filing, duplex	
nting, electronic sorting, form overlay, hidden pattern	
nt, image rotation, image stamp, image type, job retention	
out print, margin shift, network tandem print, N-up	
nting, page interleave, pamphlet style, proof print, print	
d send, stapling, toner save mode, transparency inserts,	
y status, user authentication, watermarks and zoom print.	
e Formats: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted	
F, Compact PDF, PostScript, DOCX, XLSX, PPTX (optional	
MX-C303WH). Methods: FTP, SMB, Web page, Email and	
B memory. PDF file formats support the Adobe Embedded	
nt Engine USB, Web page, Email and SMB.	
outline fonts (PCL), 139 fonts (PS)	
-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless	
Server2008, Server2008x64, Windows7, Windows7x64,	
ver2008, Server2008x64, Windows7, Windows7x64.	
ver2012, Windows8.1, Windows8.1x64, Windows10,	
ver2012, Windows8.1, Windows8.1x64, Windows10, ndows10x64, Server2016, Mac OSX (10.6-10.14)	
ver2012, Windows8.1, Windows8.1x64, Windows10, ndows10x64, Server2016, Mac OSX (10.6-10.14) R, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, P0P3, HTTP,	
ver2012, Windows8.1, Windows8.1x64, Windows10, ndows10x64, Server2016, Mac OSX (10.6-10.14)	

600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi

Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, TXT, UTF-8, and RTF

DOCX, XLSX, PPTX, TXT, UTF-8, and RTF (optional for MX-C303WH) Internet Fax: TIFF-FX, TIFF-F, TIFF-S, TIFF-C

Letter Emphasis, Internet Fax mode: MH/MMR

Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)

Color/Grayscale: JPEG (high, middle, low) Compact PDF, Black

(optional for MX-C303WH). Color/Grayscale: TIFF, JPEG, PDF,

PDF/A, Compact PDF, Encrypted PDF, XPS, Searchable PDF,

Network Scanning	System (continued)		
Scan Destinations	Email, Desktop, FTP, Folder (SMB), USB, Super G3 fax,		
	Internet fax (option)		
One-Touch	Up to 2,000 (combined scan destinations)		
Destinations			
Group	Up to 500		
Destinations			
Programs	48 (combined)		
Max. Jobs	Up to 100		
Enhanced Email	Gmail connector, Exchange connector		
Integration			
Software ¹	Sharpdesk desktop personal document management		
	software, Network Scanner tool, Sharpdesk Mobile (download)		

Super G3 Facsimile	Function		
Communication	Public Switched Telephone Network (PSTN)		
Line			
Transmission Mode	Super G3, G3		
Modem Speed ²	Maximum 33.6 KBPS with auto fallback		
Compression	JBIG, MMR, MR, MH		
Scanning Method	Sheet fed or manual feed from platen glass		
Transmit Resolution	400 x 400 dpi (ultra-fine), 200 x 400 dpi (super-fine),		
	200 x 200 dpi (fine), 200 x 100 (standard)		
Halftones	256 levels		
Transmit Speed ²	2 seconds per page in Super G3/JBIG mode		
Auto Dialing	Up to 1,000 destinations (combined)		
Group Dialing	Up to 500 groups		
Inbound Fax	To email address, FTP or SMB using Transmit Terminal		
Routing	Identification (TTI), also Document Administration function		
	can send blind copy of transmissions and receptions to an		
	administrator email address, FTP or SMB location.		
Max. Original	Up to 19.5"		
Length			
Programs	48 (combined)		
Memory	1 GB (shared)		
Features	Transaction Reports, Activity Reports, PC Fax, F-Code		
	communication, Memory Transmission, Quick On-line		
	Transmission, Inbound Fax Routing, Anti-junk Fax Reception,		
	Secure Fax Release, Out-of-Paper Memory Reception, Auto		
	Redial, Auto Exposure, Chain Dialing, Polling Reception,		
	Duplex Reception and ITU-T.37 Internet Fax Option.		

Optional Equipm	nent		
MX-DS22N	High Stand		
MX-DS23N	Low Stand		
MX-XB19	Anti Tip Kit		
MX-CS14N	600-sheet Paper Feed Unit		
MX-FWX1L	Internet Fax Kit		
MX-PF10	Bar Code Font Kit		
DVENDFSV	Generic Vendor Interface Kit		
MX-FR61U	Data Security Kit		
MX-EB20L	OCR Expansion Kit (MX-C303WH)		
MX-PU10L	Direct Print Expansion Kit (MX-C303WH)		
MX-EB19L	Compact PDF Kit (MX-C303WH)		
MX-AMX1L	Application Integration Module (MX-C303WH)		
MX-AMX2L	Application Communication Module (MX-C303WH)		
MX-AMX3L	External Account Module (MX-C303WH)		
Supplies			
MX-C30NTB	Black Toner Cartridge		
MX-C30NTC	Cyan Toner Cartridge		
MX-C30NTM	Magenta Toner Cartridge		
MX-C30NTY	Yellow Toner Cartridge		
MX-C32NVB	Black Developer		
MX-C32NVC	Cyan Developer		

MY-030DU	Diulii	

Magenta Developer

Yellow Developer

- $^{\mbox{\scriptsize 1}}$ Some features require optional equipment. See your local dealer.
- ² May vary depending on product configuration, machine settings and operating and/or environmental conditions.
- $^{\rm 3}$ Go to www.sharpusa.com for a list of supported devices and operating systems.



Services





MX-C32NVM

MX-C32NVY





Online, Box, Dropbox

SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com

Max. Original Size 8½" x 14" Optical Resolution 600 dpi

Output Modes

Compression

Image Formats

Image

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft, Office 365, Active Directory, Windows, Windows Server, Excel, PowerPoint, OneDrive, and SharePoint arteademarks or registered trademarks of Microsoft Corporation. Android, Chrome, Gmail, Google Drive and Chromebook are trademarks or registered trademarks of Hodobe logo, PostScript, and PostScript 3 are either registered trademarks or trademarks of Adobe in the United States and/or other countries. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. Amazon, Alexa, and all related logos and motion marks are trademarks Amazon.com, Inc. or its affiliates. All other trademarks are the property of their respective owners.